

From: cinslack85@gmail.com <cinslack85@gmail.com>

Sent: Thursday, December 31, 2020 10:47 AM

To: Markee, Kimberly <kmarkee@waterfordmi.gov>

Subject: Marihuana application question 15 B

Is 15B required with the application , if we do not have an existing structure? Who would we contact in public works to get this approved?

TOWNSHIP RESPONSE

This question appears to be regarding the Application requirement in Ordinance Section 10-301(b)(15)b, which reads:

“For grower and processor facilities, a plan that specifies the methods to be used to ensure compliance with restrictions and limitations on discharges into the wastewater system of the Township and the quantity of water to be used and proposed water supply and service pipes, meters, and plumbing for the facility that has been reviewed and approved by the Public Works Official.”

There is nothing in the Ordinance language to suggest that its requirement only applies to proposed grower or processor facilities in an existing structure. The described plan is required for all grower or processor facility Applications.

To request approval of a proposed plan, it should be submitted to the Department of Public Works (DPW) at 5240 Civic Center Drive, Waterford, MI 48329, with the \$80.00 fee established by the Township Board’s November 23, 2020, Resolution Approving Medical Marihuana Facility Licensing Procedures, Forms, and Fees. There is no specific person at the DPW that must be contacted. The phone and fax numbers for the DPW are:

Phone: 248-674-2278

Fax: 248-674-8658